



# PPS KEEPSAFE™ SAFERS

Innovative New  
Keepsafe™  
Safer!

Scratch resistant and  
retains transparency

Variety of  
sizes and  
shapes  
available



Customer can  
easily view  
products and  
labels

Incorporates into most  
shelving with dividers  
or pusher systems

Reusable and  
easy to use

Can use with  
or without  
existing EAS  
system

Available with  
Standard, Super  
or H-Locks

The PPS Keepsafe™ Safers provide high-level theft protection for everything from health and beauty aids to razors and small electronics. The reusable Safers house products in a transparent case, allowing retailers to openly showcase products while reducing shrinkage. Safers with H-Locks can only be detached using the Keepsafe™ H-Detacher and cannot be removed with traditional standard, super or hyper detachers that are easily replicated or acquired. The Keepsafe™ Safer is also one of the only safer systems on the market that allows for both technology and lock upgrades or changes by the end user. Safers are available in both AM and RF technologies. All technologies are non-deactivatable. Optional blister holes or hanger accessories are available to easily hang products.

### General Use and Application

- Health and Beauty Aids
- Electronics
- Accessories
- Food and Grocery
- All Traditional Safer Applications



Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
283024-1 282024-1	MS-023 - Std RF Std AM	123.5 x 98.5 x 19 mm (4.86" x 3.88" x 0.75" in)	158 x 105 x 24 mm (6.22" x 4.13" x 0.94" in)	50
283025-1 282025-1	MS-023 - Super RF Super AM	123.5 x 98.5 x 19 mm (4.86" x 3.88" x 0.75" in)	158 x 105 x 24 mm (6.22" x 4.13" x 0.94" in)	50

**Protect Products. Prevent Loss. Secure Your Bottom Line.**

Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
503025-1 502025-1	MS-023 - H-Lock RF H-Lock AM	123.5 x 98.5 x 19 mm (4.86" x 3.88" x 0.75" in)	158 x 105 x 24 mm (6.22" x 4.13" x 0.94" in)	50
283127-1 282127-1	MS-035 - Std RF Std AM	135 x 70 x 37 mm (5.31" x 2.76" x 1.46" in)	169.5 x 74 x 41 mm (6.67" x 2.91" x 1.61" in)	40
283126-1 282126-1	MS-035 - Super RF Super AM	135 x 70 x 37 mm (5.31" x 2.76" x 1.46" in)	169.5 x 74 x 41 mm (6.67" x 2.91" x 1.61" in)	40
502126-1 503126-1	MS-035 - H-Lock RF H-Lock AM	135 x 70 x 37 mm (5.31" x 2.76" x 1.46" in)	169.5 x 74 x 41 mm (6.67" x 2.91" x 1.61" in)	40
283214 282214	MS-036 - Std RF Std AM	108 x 56 x 56 mm (4.25" x 2.2" x 2.2" in)	141.5 x 62 x 62 mm (5.57" x 2.44" x 2.44" in)	70
283213 282214	MS-036 - Super RF Super AM	108 x 56 x 56 mm (4.25" x 2.2" x 2.2" in)	141.5 x 62 x 62 mm (5.57" x 2.44" x 2.44" in)	70
503213 502213	MS-036 - H-Lock RF H-Lock AM	108 x 56 x 56 mm (4.25" x 2.2" x 2.2" in)	141.5 x 62 x 62 mm (5.57" x 2.44" x 2.44" in)	70
283125-1 282125-1	MS-042 - Std RF Std AM	185 x 68 x 33 mm (7.28" x 2.68" x 1.3" in)	218.5 x 72.5 x 39.5 mm (8.58" x 2.83" x 1.54" in)	30
283124-1 282124-1	MS-042 - Super RF Super AM	185 x 68 x 33 mm (7.28" x 2.68" x 1.3" in)	218.5 x 72.5 x 39.5 mm (8.58" x 2.83" x 1.54" in)	30
502124-1 503124-1	MS-042 - H-Lock RF H-Lock AM	185 x 68 x 33 mm (7.28" x 2.68" x 1.3" in)	218.5 x 72.5 x 39.5 mm (8.58" x 2.83" x 1.54" in)	30
283216 282216	MS-046 - Std RF Std AM	133 x 56 x 56 mm (5.24" x 2.2" x 2.2" in)	170 x 62 x 62 mm (6.69" x 2.44" x 2.44" in)	70
283215 282215	MS-046 - Super RF Super AM	133 x 56 x 56 mm (5.24" x 2.2" x 2.2" in)	170 x 62 x 62 mm (6.69" x 2.44" x 2.44" in)	70
503215 502215	MS-046 - H-Lock RF H-Lock AM	133 x 56 x 56 mm (5.24" x 2.2" x 2.2" in)	170 x 62 x 62 mm (6.69" x 2.44" x 2.44" in)	70
283202 282202	MS-048 - Std RF Std AM	85.5 x 75.5 x 75 mm (3.37" x 2.97" x 2.97" in)	120 x 79 x 79 (4.72" x 3.11" x 3.11" in)	40
283201 282201	MS-048 - Super RF Super AM	85.5 x 75.5 x 75 mm (3.37" x 2.97" x 2.97" in)	120 x 79 x 79 (4.72" x 3.11" x 3.11" in)	40
503201 502201	MS-048 - H-Lock RF H-Lock AM	85.5 x 75.5 x 75 mm (3.37" x 2.97" x 2.97" in)	120 x 79 x 79 (4.72" x 3.11" x 3.11" in)	40
283135 282135	MS-050 - Std RF Std AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 31 mm (6.50" x 6.14" x 1.22" in)	60
283136 282136	MS-050 - Super RF Super AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 31 mm (6.50" x 6.14" x 1.22" in)	60
503136 502136	MS-050 - H-Lock RF H-Lock AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 31 mm (6.50" x 6.14" x 1.22" in)	60
283013-1 282013-1	MS-050 Blister - Std RF Std AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 30.5 mm (6.50" x 6.14" x 1.22" in)	60
283014-1 282014-1	MS-050 Blister - Super RF Super AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 30.5 mm (6.50" x 6.14" x 1.22" in)	60
503014-1 502014-1	MS-050 Blister - H-Lock RF H-Lock AM	131.5 x 148 x 25.5 mm (5.18" x 5.83" x 1.00" in)	165 x 156.5 x 30.5 mm (6.50" x 6.14" x 1.22" in)	60
283026-1 282026-1	MS-054 - Std RF Std AM	123.5 x 98.5 x 44 mm (4.86" x 3.88" x 1.73" in)	158 x 105 x 48.5 mm (6.22" x 4.13" x 1.91" in)	55
283027-1 282027-1	MS-054 - Super RF Super AM	123.5 x 98.5 x 44 mm (4.86" x 3.88" x 1.73" in)	158 x 105 x 48.5 mm (6.22" x 4.13" x 1.91" in)	55
503027-1 502027-1	MS-054 - H-Lock RF H-Lock AM	123.5 x 98.5 x 44 mm (4.86" x 3.88" x 1.73" in)	158 x 105 x 48.5 mm (6.22" x 4.13" x 1.91" in)	55
283096 282096	MS-059 - Std RF Std AM	200 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	235.5 x 158 x 25 mm (9.25" x 6.22" x 0.98" in)	50
283097 282097	MS-059 - Super RF Super AM	200 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	235.5 x 158 x 25 mm (9.25" x 6.22" x 0.98" in)	50
503097 502097	MS-059 - H-Lock RF H-Lock AM	200 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	235.5 x 158 x 25 mm (9.25" x 6.22" x 0.98" in)	50

**Protect Products. Prevent Loss. Secure Your Bottom Line.**

Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
283005-3 282005-3	MS-062 - Std RF Std AM	210 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	246 x 158 x 25 mm (9.69" x 6.22" x 0.98" in)	45
283006-3 282006-3	MS-062 - Super RF Super AM	210 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	246 x 158 x 25 mm (9.69" x 6.22" x 0.98" in)	45
503006-3 502006-3	MS-062 - H-Lock RF H-Lock AM	210 x 148 x 20 mm (8.27" x 5.83" x 0.79" in)	246 x 158 x 25 mm (9.69" x 6.22" x 0.98" in)	45
283207 282207	MS-066 - Std RF Std AM	129 x 78 x 66 mm (5.08" x 3.07" x 2.60" in)	161 x 83 x 70 mm (6.34" x 3.27" x 2.76" in)	45
283206 282206	MS-066 - Super RF Super AM	129 x 78 x 66 mm (5.08" x 3.07" x 2.60" in)	161 x 83 x 70 mm (6.34" x 3.27" x 2.76" in)	45
503206 502206	MS-066 - H-Lock RF H-Lock AM	129 x 78 x 66 mm (5.08" x 3.07" x 2.60" in)	161 x 83 x 70 mm (6.34" x 3.27" x 2.76" in)	45
283218 282218	MS-068 - Std RF Std AM	148 x 82 x 52 mm (5.83" x 3.23" x 2.05" in)	180 x 87 x 57 mm (7.09" x 3.43" x 2.24" in)	40
283217 282217	MS-068 - Super RF Super AM	148 x 82 x 52 mm (5.83" x 3.23" x 2.05" in)	180 x 87 x 57 mm (7.09" x 3.43" x 2.24" in)	40
503217 502217	MS-068 - H-Lock RF H-Lock AM	148 x 82 x 52 mm (5.83" x 3.23" x 2.05" in)	180 x 87 x 57 mm (7.09" x 3.43" x 2.24" in)	40
283123-1 282123-1	MS-071 - Std RF Std AM	185 x 98 x 39 mm (7.28" x 3.86" x 1.54" in)	217.5 x 102.5 x 43.5 mm (8.54" x 4.02" x 1.69" in)	30
283122-1 282122-1	MS-071 - Super RF Super AM	185 x 98 x 39 mm (7.28" x 3.86" x 1.54" in)	217.5 x 102.5 x 43.5 mm (8.54" x 4.02" x 1.69" in)	30
503122-1 502122-1	MS-071 - H-Lock RF H-Lock AM	185 x 98 x 39 mm (7.28" x 3.86" x 1.54" in)	217.5 x 102.5 x 43.5 mm (8.54" x 4.02" x 1.69" in)	30
283133 282133	MS-072 - Std RF Std AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42 mm (6.50" x 6.14" x 1.65" in)	45
283134 282134	MS-072 - Super RF Super AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42 mm (6.50" x 6.14" x 1.65" in)	45
503134 502134	MS-072 - H-Lock RF H-Lock AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42 mm (6.50" x 6.14" x 1.65" in)	45
283011-1 282011-1	MS-072 Blister - Std RF Std AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42.5 mm (6.50" x 6.14" x 1.65" in)	45
283012-1 282012-1	MS-072 Blister - Super RF Super AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42.5 mm (6.50" x 6.14" x 1.65" in)	45
503012-1 502012-1	MS-072 Blister - H-Lock RF H-Lock AM	131.5 x 148 x 37.2 mm (5.18" x 5.83" x 1.46" in)	165 x 156.5 x 42.5 mm (6.50" x 6.14" x 1.65" in)	45
283225 282225	MS-074 - Std RF Std AM	242 x 204 x 14 (9.52" x 8.03" x 0.55" in)	275 x 210 x 20 (10.83" x 8.27" x 0.79" in)	15
283224 282224	MS-074 - Super RF Super AM	242 x 204 x 14 (9.52" x 8.03" x 0.55" in)	275 x 210 x 20 (10.83" x 8.27" x 0.79" in)	15
503224 502224	MS-074 - H-Lock RF H-Lock AM	242 x 204 x 14 (9.52" x 8.03" x 0.55" in)	275 x 210 x 20 (10.83" x 8.27" x 0.79" in)	15
283209 282209	MS-078 - Std RF Std AM	166 x 78 x 66 mm (6.54" x 3.07" x 2.60" in)	200 x 83 x 70 mm (7.87" x 3.27" x 2.76" in)	40
283208 282208	MS-078 - Super RF Super AM	166 x 78 x 66 mm (6.54" x 3.07" x 2.60" in)	200 x 83 x 70 mm (7.87" x 3.27" x 2.76" in)	40
503208 502208	MS-078 - H-Lock RF H-Lock AM	166 x 78 x 66 mm (6.54" x 3.07" x 2.60" in)	200 x 83 x 70 mm (7.87" x 3.27" x 2.76" in)	40
283030 282030	MS-084 - Std RF Std AM	98.5 x 98.5 x 87 mm (3.88" x 3.88" x 3.43" in)	132.5 x 104 x 92 mm (5.20" x 4.09" x 3.62" in)	30
283031 282031	MS-084 - Super RF Super AM	98.5 x 98.5 x 87 mm (3.88" x 3.88" x 3.43" in)	132.5 x 104 x 92 mm (5.20" x 4.09" x 3.62" in)	30
503031 502031	MS-084 - H-Lock RF H-Lock AM	98.5 x 98.5 x 87 mm (3.88" x 3.88" x 3.43" in)	132.5 x 104 x 92 mm (5.20" x 4.09" x 3.62" in)	30

**Protect Products. Prevent Loss. Secure Your Bottom Line.**

Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
283048 282048	MS-108 - Std RF Std AM	205 x 105 x 50 mm (8.07" x 4.13" x 1.97" in)	237.5 x 112.5 x 55 mm (9.33" x 4.41" x 2.17 in)	30
283047 282047	MS-108 - Super RF Super AM	205 x 105 x 50 mm (8.07" x 4.13" x 1.97" in)	237.5 x 112.5 x 55 mm (9.33" x 4.41" x 2.17 in)	30
503047 502047	MS-108 - H-Lock RF H-Lock AM	205 x 105 x 50 mm (8.07" x 4.13" x 1.97" in)	237.5 x 112.5 x 55 mm (9.33" x 4.41" x 2.17 in)	30
283017 282017	MS-148 - Std RF Std AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
283018 282018	MS-148 - Super RF Super AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
503018 502018	MS-148 - H-Lock RF H-Lock AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
283107-1 282017-1	MS-148 Blister - Std RF Std AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
283018-1 282018-1	MS-148 Blister - Super RF Super AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
503018-1 502018-1	MS-148 Blister - H-Lock RF H-Lock AM	200 x 148 x 50 mm (7.87" x 5.83" x 1.97" in)	235.5 x 158 x 55 mm (9.25" x 6.22" x 2.17" in)	10
283105 282015	MS-237 - Std RF Std AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
283016 282016	MS-237 - Super RF Super AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
503016 502016	MS-237 - H-Lock RF H-Lock AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
283015-1 282015-1	MS-237 Blister - Std RF Std AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
283016-1 282016-1	MS-237 Blister - Super RF Super AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
503016-1 502016-1	MS-237 Blister - H-Lock RF H-Lock AM	200 x 148 x 80 mm (7.87" x 5.83" x 3.15" in)	235.5 x 158 x 85.5 (9.25" x 6.22" x 3.35" in)	10
283170 282170	MS-244 Box - Std RF Std AM	253 x 127 x 65 mm (9.96" x 5.00" x 2.56" in)	261 x 170 x 74 mm (10.28" x 6.69" x 2.91" in)	12
283169 282169	MS-244 Box - Super RF Super AM	253 x 127 x 65 mm (9.96" x 5.00" x 2.56" in)	261 x 170 x 74 mm (10.28" x 6.69" x 2.91" in)	12
503169 502169	MS-244 Box - H-Lock RF H-Lock AM	253 x 127 x 65 mm (9.96" x 5.00" x 2.56" in)	261 x 170 x 74 mm (10.28" x 6.69" x 2.91" in)	12
283142 282142	MS-462 Square Box - Std RF Std AM	275 x 120 x 140 mm (10.83" x 4.72" x 5.51" in)	284 x 157 x 164 mm (11.22" x 6.18" x 6.46" in)	6
283143 282143	MS-462 Square Box - Super RF Super AM	275 x 120 x 140 mm (10.83" x 4.72" x 5.51" in)	284 x 157 x 164 mm (11.22" x 6.18" x 6.46" in)	6
503143 502143	MS-462 Square Box - H-Lock RF H-Lock AM	275 x 120 x 140 mm (10.83" x 4.72" x 5.51" in)	284 x 157 x 164 mm (11.22" x 6.18" x 6.46" in)	6
283104 282104	MS-546 Box - Std RF Std AM	270 x 184 x 110 mm (10.63" x 7.24" x 4.33" in)	305 x 194 x 120 mm (12.01" x 7.64" x 4.72" in)	10
283105 282105	MS-546 Box - Super RF Super AM	270 x 184 x 110 mm (10.63" x 7.24" x 4.33" in)	305 x 194 x 120 mm (12.01" x 7.64" x 4.72" in)	10
503105 502105	MS-546 Box - H-Lock RF H-Lock AM	270 x 184 x 110 mm (10.63" x 7.24" x 4.33" in)	305 x 194 x 120 mm (12.01" x 7.64" x 4.72" in)	10
283036 282036	MS-857 Box - Std RF Std AM	272 x 210 x 150 mm (10.71" x 8.27" x 5.91" in)	320 x 218 x 156 mm (12.60" x 8.58" x 6.14" in)	4
283037 282037	MS-857 Box - Super RF Super AM	272 x 210 x 150 mm (10.71" x 8.27" x 5.91" in)	320 x 218 x 156 mm (12.60" x 8.58" x 6.14" in)	4
503037 502037	MS-857 Box - H-Lock RF H-Lock AM	272 x 210 x 150 mm (10.71" x 8.27" x 5.91" in)	320 x 218 x 156 mm (12.60" x 8.58" x 6.14" in)	4

**Protect Products. Prevent Loss. Secure Your Bottom Line.**

Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
283042 282042	Fusion Blades - Std RF Std AM	123.5 x 98 x 26 mm (4.86" x 3.86" x 1.02" in)	157.5 x 103.5 x 30.5 mm (6.20" x 4.06" x 1.20" in)	50
283043 282043	Fusion Blades - Super RF Super AM	123.5 x 98 x 26 mm (4.86" x 3.86" x 1.02" in)	157.5 x 103.5 x 30.5 mm (6.20" x 4.06" x 1.20" in)	50
503043 502043	Fusion Blades - H-Lock RF H-Lock AM	123.5 x 98 x 26 mm (4.86" x 3.86" x 1.02" in)	157.5 x 103.5 x 30.5 mm (6.20" x 4.06" x 1.20" in)	50
280996 282996	CD Open - Std RF Std AM	129 x 144 x 13 mm (5.08" x 5.67" x 0.51" in)	152 x 152 x 18.5 mm (5.98" x 5.98" x 0.73" in)	100
280997 282997	CD Open - Super RF Super AM	129 x 144 x 13 mm (5.08" x 5.67" x 0.51" in)	152 x 152 x 18.5 mm (5.98" x 5.98" x 0.73" in)	100
283009-1 282009-1	CD Closed - Std RF Std AM	131.5 x 148 x 13.8 mm (5.18" x 5.83" x 0.54" in)	165 x 156.5 x 19 mm (6.50" x 6.14" x 0.75" in)	40
283010-1 282010-1	CD Closed - Super RF Super AM	131.5 x 148 x 13.8 mm (5.18" x 5.83" x 0.54" in)	165 x 156.5 x 19 mm (6.50" x 6.14" x 0.75" in)	40
503010-1 502010-1	CD Closed - H-Lock RF H-Lock AM	131.5 x 148 x 13.8 mm (5.18" x 5.83" x 0.54" in)	165 x 156.5 x 19 mm (6.50" x 6.14" x 0.75" in)	40
280998 282998	DVD Open - Std RF Std AM	194 X 144 X 20 mm (7.64" x 5.67" x 0.79" in)	220 x 154 x 25.5 mm (8.66" x 6.06" x 0.98" in)	50
280999 282999	DVD Open - Super RF Super AM	194 X 144 X 20 mm (7.64" x 5.67" x 0.79" in)	220 x 154 x 25.5 mm (8.66" x 6.06" x 0.98" in)	50
283034 282034	MS-Carton of Cigarettes - Std RF Std AM	310 x 125 x 64 mm (12.20" x 4.92" x 2.52" in)	345 x 133 x 70 mm (13.58" x 5.24" x 2.76" in)	10
283035 282035	MS-Carton of Cigarettes - Super RF Super AM	310 x 125 x 64 mm (12.20" x 4.92" x 2.52" in)	345 x 133 x 70 mm (13.58" x 5.24" x 2.76" in)	10
503035 502035	MS-Carton of Cigarettes - H-Lock RF H-Lock AM	310 x 125 x 64 mm (12.20" x 4.92" x 2.52" in)	345 x 133 x 70 mm (13.58" x 5.24" x 2.76" in)	10
283028 282028	PSP - Std RF Std AM	184 x 111 x 19 mm (7.24" x 4.37" x 0.75" in)	220 x 120 x 23.5 mm (8.66" x 4.72" x 0.91" in)	60
283029 282029	PSP - Super RF Super AM	184 x 111 x 19 mm (7.24" x 4.37" x 0.75" in)	220 x 120 x 23.5 mm (8.66" x 4.72" x 0.91" in)	60
503029 502029	PSP - H-Lock RF H-Lock AM	184 x 111 x 19 mm (7.24" x 4.37" x 0.75" in)	220 x 120 x 23.5 mm (8.66" x 4.72" x 0.91" in)	60
283197 282197	Blunt S - Std RF Std AM	115 x 54 x 54 mm (4.53" x 2.13" x 2.13" in)	151 x 60.5 x 60.5 mm (5.94" x 2.40" x 2.40" in)	45
283196 282196	Blunt S - Super RF Super AM	115 x 54 x 54 mm (4.53" x 2.13" x 2.13" in)	151 x 60.5 x 60.5 mm (5.94" x 2.40" x 2.40" in)	45
503196 502196	Blunt S - H-Lock RF H-Lock AM	115 x 54 x 54 mm (4.53" x 2.13" x 2.13" in)	151 x 60.5 x 60.5 mm (5.94" x 2.40" x 2.40" in)	45
283137 282137	Blunt M - Std RF Std AM	150 x 54 x 54 mm (5.91" x 2.13" x 2.13" in)	185.5 x 60.5 x 60.5 mm (7.30" x 2.40" x 2.40" in)	40
283138 282138	Blunt M - Super RF Super AM	150 x 54 x 54 mm (5.91" x 2.13" x 2.13" in)	185.5 x 60.5 x 60.5 mm (7.30" x 2.40" x 2.40" in)	40
503138 502138	Blunt M - H-Lock RF H-Lock AM	150 x 54 x 54 mm (5.91" x 2.13" x 2.13" in)	185.5 x 60.5 x 60.5 mm (7.30" x 2.40" x 2.40" in)	40
283121 282121	Blunt L - Std RF Std AM	225 x 54 x 54 mm (8.86" x 2.13" x 2.13" in)	258 x 61 x 61 mm (10.16" x 2.40" x 2.40" in)	20
283120 282120	Blunt L - Super RF Super AM	225 x 54 x 54 mm (8.86" x 2.13" x 2.13" in)	258 x 61 x 61 mm (10.16" x 2.40" x 2.40" in)	20
503120 502120	Blunt L - H-Lock RF H-Lock AM	225 x 54 x 54 mm (8.86" x 2.13" x 2.13" in)	258 x 61 x 61 mm (10.16" x 2.40" x 2.40" in)	20

**Protect Products. Prevent Loss. Secure Your Bottom Line.**

Item #	Description	Internal Dimensions (H x W x D)	External Dimensions (H x W x D)	Case Qty
283106 282106	Bottle Box L - Std RF Std AM	310 x 98 x 98 mm (12.20" x 3.86" x 3.86" in)	345 x 110 x 110 mm (13.58" x 4.33" x 4.33" in)	15
283107 282107	Bottle Box L - Super RF Super AM	310 x 98 x 98 mm (12.20" x 3.86" x 3.86" in)	345 x 110 x 110 mm (13.58" x 4.33" x 4.33" in)	15
503107 502107	Bottle Box L - H-Lock RF H-Lock AM	310 x 98 x 98 mm (12.20" x 3.86" x 3.86" in)	345 x 110 x 110 mm (13.58" x 4.33" x 4.33" in)	15
282108 283108	Bottle Box XL - Std RF Std AM	330 x 98 x 98 mm (12.99" x 3.86" x 3.86" in)	365 x 110 x 110 mm (14.37" x 4.33" x 4.33" in)	15
283109 282109	Bottle Box XL - Super RF Super AM	330 x 98 x 98 mm (12.99" x 3.86" x 3.86" in)	365 x 110 x 110 mm (14.37" x 4.33" x 4.33" in)	15
503109 502109	Bottle Box XL - H-Lock RF H-Lock AM	330 x 98 x 98 mm (12.99" x 3.86" x 3.86" in)	365 x 110 x 110 mm (14.37" x 4.33" x 4.33" in)	15

*Protect Products. Prevent Loss. Secure Your Bottom Line.*